



Layne Windows

www.laynewindows.com.au |

Address: 203 South Rd, Ridleyton
Website: www.laynewindows.com.au
Email: sales@laynewindows.com.au
Phone: 1300 280 514





Layne Windows



Classic Residential Awning Window

Classic aluminium residential range is designed for homes and living spaces, focusing on aesthetics, comfort, and energy efficiency. They are tailored to suit individual styles and preferences, offering a wide range of configurations. It is made for standard weather conditions and usage.

Awning windows are a distinctive and versatile window type, characterized by their ability to open outward from the bottom, hinged at the top. This design allows them to offer ventilation and protection from the rain simultaneously, making them a popular choice for various settings.

Build-in details



Features



DURABLE POWDERCOAT SUPPLIED BY DULUX AUSTRALIA

Available in black, pearl white, monument and anodic grey.



DOUBLE GLAZING AS STANDARD

Improved thermal insulation efficiency with argon gas filled.



PREMIUM LOCKABLE HARDWARE

Long lasting hardware with different finishes.



STAINLESS STEEL MESH AS STANDARD

With exceptional corrosion resistance and minimal maintenance of materials.



INLINE REVEALS AS STANDARD

Easy installation with architrave finish.



GYPROCK REVEALS AVAILABLE

Clean-line look provided by square set plaster.



MULTIPLE REVEAL SETUPS TO SUIT ALL BUILDING TYPES

Compatible with render, brick and lightweight construction.



COMPLIANCE WITH AUSTRALIAN STANDARDS

Tested and engineered to comply with AS2047, AS1288 and AS4667.



EXTENSIVE WARRANTY TO ENSURE DURABILITY

10 years for non-moving parts, 3 years for moving parts, 1 year for glass.



Hardware



Classic Residential Sliding Door

Classic aluminium residential range is designed for homes and living spaces, focusing on aesthetics, comfort, and energy efficiency. They are tailored to suit individual styles and preferences, offering a wide range of configurations. It is made for standard weather conditions and usage.

Sliding doors are commonly used in both residential and commercial settings due to their space-saving design and functionality. These doors work by gliding along a track rather than swinging open, making them an ideal choice for areas where space is limited.

Build-in details



Features



DURABLE POWDERCOAT SUPPLIED BY DULUX AUSTRALIA

Available in black, pearl white, monument and anodic grey.



DOUBLE GLAZING AS STANDARD

Improved thermal insulation efficiency with argon gas filled.



PREMIUM LOCKABLE HARDWARE

Long lasting hardware with different finishes.



HEAVY DUTY DOOR ROLLERS

Allow support of max. panel weight of 180kg.



SECURITY MESH AS STANDARD

Marine grade aluminium security mesh with increased level of security.



INLINE REVEALS AS STANDARD

Easy installation with architrave finish.



GYPROCK REVEALS AVAILABLE

Clean-line look provided by square set plaster.



MULTIPLE REVEAL SETUPS TO SUIT ALL BUILDING TYPES

Compatible with render, brick and lightweight construction.



COMPLIANCE WITH AUSTRALIAN STANDARDS

Tested and engineered to comply with AS2047, AS1288 and AS4667.



EXTENSIVE WARRANTY TO ENSURE DURABILITY

10 years for non-moving parts, 3 years for moving parts, 1 year for glass.



Hardware



Elegant Semi-Commercial Awning Window

Elegant aluminium semi-commercial range bridges the gap between residential and commercial windows. It blends aesthetic appeal with enhanced performance features to cater to both visual and functional requirements and offers a higher level of durability than residential windows, designed to handle more frequent use and tougher environmental conditions.

Awning windows are a distinctive and versatile window type, characterized by their ability to open outward from the bottom, hinged at the top. This design allows them to offer ventilation and protection from the rain simultaneously, making them a popular choice for various settings.

Build-in details



Features



DURABLE POWDERCOAT SUPPLIED BY DULUX AUSTRALIA

Available in black, pearl white, monument and anodic grey.



DOUBLE GLAZING AS STANDARD

Improved thermal insulation efficiency with argon gas filled.



PREMIUM LOCKABLE HARDWARE

Long lasting hardware with different finishes.



STAINLESS STEEL MESH AS STANDARD

With exceptional corrosion resistance and minimal maintenance of materials.



INLINE REVEALS AS STANDARD

Easy installation with architrave finish.



GYPROCK REVEALS AVAILABLE

Clean-line look provided by square set plaster.



MULTIPLE REVEAL SETUPS TO SUIT ALL BUILDING TYPES

Compatible with render, brick and lightweight construction.



COMPLIANCE WITH AUSTRALIAN STANDARDS

Tested and engineered to comply with AS2047, AS1288 and AS4667.



EXTENSIVE WARRANTY TO ENSURE DURABILITY

10 years for non-moving parts, 3 years for moving parts, 1 year for glass.



Hardware



Elegant Semi-Commercial Sliding Window

Elegant aluminium semi-commercial range bridges the gap between residential and commercial windows. It blends aesthetic appeal with enhanced performance features to cater to both visual and functional requirements and offers a higher level of durability than residential windows, designed to handle more frequent use and tougher environmental conditions.

Sliding windows operate by sliding horizontally along a track within the window frame. This design makes them a practical and stylish choice for modern and contemporary homes as well as commercial buildings, thanks to their functional efficiency and sleek appearance.

Build-in details



Features



DURABLE POWDERCOAT SUPPLIED BY DULUX AUSTRALIA
Available in black, pearl white, monument and anodic grey.



DOUBLE GLAZING AS STANDARD
Improved thermal insulation efficiency with argon gas filled.



PREMIUM LOCKABLE HARDWARE
Long lasting hardware with different finishes.



HEAVY DUTY WINDOW ROLLERS
Allow support of max. sash weight of 85kg.



STAINLESS STEEL MESH AS STANDARD
With exceptional corrosion resistance and minimal maintenance of materials.



INLINE REVEALS AS STANDARD
Easy installation with architrave finish.



GYPROCK REVEALS AVAILABLE
Clean-line look provided by square set plaster.



MULTIPLE REVEAL SETUPS TO SUIT ALL BUILDING TYPES
Compatible with render, brick and lightweight construction.



COMPLIANCE WITH AUSTRALIAN STANDARDS
Tested and engineered to comply with AS2047, AS1288 and AS4667.



EXTENSIVE WARRANTY TO ENSURE DURABILITY
10 years for non-moving parts, 3 years for moving parts, 1 year for glass.



Hardware



Elegant Semi-Commercial Double-Hung Window

Elegant aluminium semi-commercial range bridges the gap between residential and commercial windows. It blends aesthetic appeal with enhanced performance features to cater to both visual and functional requirements and offers a higher level of durability than residential windows, designed to handle more frequent use and tougher environmental conditions.

Double-hung windows are a classic and versatile window style that have been widely used in homes for centuries. Their design features two sashes (the part of the window that holds the glass) that slide vertically in separate tracks, allowing for both the top and bottom parts to be opened or closed.

Build-in details



Features



DURABLE POWDERCOAT SUPPLIED BY DULUX AUSTRALIA

Available in black, pearl white, monument and anodic grey.



DOUBLE GLAZING AS STANDARD

Improved thermal insulation efficiency with argon gas filled.



PREMIUM LOCKABLE HARDWARE

Long lasting hardware with heavy duty balances.



STAINLESS STEEL MESH AS STANDARD

With exceptional corrosion resistance and minimal maintenance of materials.



INLINE REVEALS AS STANDARD

Easy installation with architrave finish.



GYPROCK REVEALS AVAILABLE

Clean-line look provided by square set plaster.



MULTIPLE REVEAL SETUPS TO SUIT ALL BUILDING TYPES

Compatible with render, brick and lightweight construction.



COMPLIANCE WITH AUSTRALIAN STANDARDS

Tested and engineered to comply with AS2047, AS1288 and AS4667.



EXTENSIVE WARRANTY TO ENSURE DURABILITY

10 years for non-moving parts, 3 years for moving parts, 1 year for glass.



Hardware



Platinum Commercial Awning Window

Platinum aluminium commercial range can be applied in residential, commercial and industrial buildings. These windows and doors prioritize durability, maintenance, safety, and energy efficiency to achieve enormous dimensions, withstand heavy usage and meet strict building codes. Built for maximum durability, these windows are made to endure high wind loads, greater usage, and harsher environmental conditions.

Awning windows are a distinctive and versatile window type, characterized by their ability to open outward from the bottom, hinged at the top. This design allows them to offer ventilation and protection from the rain simultaneously, making them a popular choice for various settings.

Build-in details



Features



DURABLE POWDERCOAT SUPPLIED BY DULUX AUSTRALIA

Available in black, pearl white, monument and anodic grey.



DOUBLE GLAZING AS STANDARD

Improved thermal insulation efficiency with argon gas filled.



PREMIUM LOCKABLE HARDWARE

Long lasting hardware with different finishes.



STAINLESS STEEL MESH AS STANDARD

With exceptional corrosion resistance and minimal maintenance of materials.



FIN ADAPTORS AS STANDARD

Easy installation with gyprock return finish.



IDEAL RETROFIT WINDOW SOLUTIONS

Subhead, subsill and double glazing channels available to suit retrofit windows.



COMPLIANCE WITH AUSTRALIAN STANDARDS

Tested and engineered to comply with AS2047, AS1288 and AS4667.



EXTENSIVE WARRANTY TO ENSURE DURABILITY

10 years for non-moving parts, 3 years for moving parts, 1 year for glass.



Hardware



Platinum Commercial Breezway Louvre Window

Platinum aluminium commercial range can be applied in residential, commercial and industrial buildings. These windows and doors prioritize durability, maintenance, safety, and energy efficiency to achieve enormous dimensions, withstand heavy usage and meet strict building codes. Built for maximum durability, these windows are made to endure high wind loads, greater usage, and harsher environmental conditions.

Louvre windows feature a unique design composed of horizontal slats that can be angled to adjust ventilation and light while also providing protection from rain and direct sunlight. These windows are particularly popular in tropical and subtropical climates for their excellent ventilation capabilities and distinctive aesthetic.

Build-in details



Features



DURABLE POWDERCOAT SUPPLIED BY DULUX AUSTRALIA
Available in black, pearl white, monument and anodic grey.



PREMIUM LOCKABLE HARDWARE
Lockable galleries supplied by Breezway.



FLYSCREENS AVAILABLE WITH 102MM BLADES
With exceptional corrosion resistance and minimal maintenance of materials.



FIN ADAPTORS AS STANDARD
Easy installation with gyprock return finish.



IDEAL RETROFIT WINDOW SOLUTIONS
Subhead, subsill and double glazing channels available to suit retrofit windows.



COMPLIANCE WITH AUSTRALIAN STANDARDS
Tested and engineered to comply with AS2047, AS1288 and AS4667.



EXTENSIVE WARRANTY TO ENSURE DURABILITY
10 years for non-moving parts, 3 years for moving parts, 1 year for glass.



Hardware



Platinum Commercial Sliding Door

Platinum aluminium commercial range can be applied in residential, commercial and industrial buildings.

These windows and doors prioritize durability, maintenance, safety, and energy efficiency to achieve enormous dimensions, withstand heavy usage and meet strict building codes. Built for maximum durability, these windows are made to endure high wind loads, greater usage, and harsher environmental conditions.

Sliding doors are commonly used in both residential and commercial settings due to their space-saving design and functionality. These doors work by gliding along a track rather than swinging open, making them an ideal choice for areas where space is limited.

Build-in details



Features



DURABLE POWDERCOAT SUPPLIED BY DULUX AUSTRALIA
Available in black, pearl white, monument and anodic grey.



DOUBLE GLAZING AS STANDARD
Improved thermal insulation efficiency with argon gas filled.



PREMIUM LOCKABLE HARDWARE
Long lasting hardware with different finishes.



HEAVY DUTY DOOR ROLLERS
Allow support of max. panel weight of 300kg.



SECURITY MESH AS STANDARD
Marine grade aluminium security mesh with increased level of security.



FIN ADAPTORS AS STANDARD
Easy installation with gyprock return finish.



IDEAL RETROFIT DOOR SOLUTIONS
Subhead and subsill available to suit retrofit doors.



COMPLIANCE WITH AUSTRALIAN STANDARDS
Tested and engineered to comply with AS2047, AS1288 and AS4667.



EXTENSIVE WARRANTY TO ENSURE DURABILITY
10 years for non-moving parts, 3 years for moving parts, 1 year for glass.



Hardware



Platinum Commercial Hinged Door

Platinum aluminium commercial range can be applied in residential, commercial and industrial buildings. These windows and doors prioritize durability, maintenance, safety, and energy efficiency to achieve enormous dimensions, withstand heavy usage and meet strict building codes. Built for maximum durability, these windows are made to endure high wind loads, greater usage, and harsher environmental conditions.

Hinged doors are one of the most common and traditional types of doors used in both residential and commercial properties. They operate by swinging open or closed from a hinge on one side of the door frame, making them a simple and effective solution for interior and exterior door applications.

Build-in details



Features

DURABLE POWDERCOAT SUPPLIED BY DULUX AUSTRALIA
Available in black, pearl white, monument and anodic grey.

DOUBLE GLAZING AS STANDARD
Improved thermal insulation efficiency with argon gas filled.

PREMIUM LOCKABLE HARDWARE
Long lasting hardware with different finishes, escape kit available.

FIN ADAPTORS AS STANDARD
Easy installation with gyprock return finish.

IDEAL RETROFIT DOOR SOLUTIONS
Subhead, subsill and double glazing channels available to suit retrofit doors.

COMPLIANCE WITH AUSTRALIAN STANDARDS
Tested and engineered to comply with AS2047, AS1288 and AS4667.

EXTENSIVE WARRANTY TO ENSURE DURABILITY
10 years for non-moving parts, 3 years for moving parts, 1 year for glass.



Hardware



Platinum Commercial Top Hung Bi-Fold Door

Platinum aluminium commercial range can be applied in residential, commercial and industrial buildings. These windows and doors prioritize durability, maintenance, safety, and energy efficiency to achieve enormous dimensions, withstand heavy usage and meet strict building codes. Built for maximum durability, these windows are made to endure high wind loads, greater usage, and harsher environmental conditions.

Bi-fold doors consist of multiple panels that fold against each other in a concertina style. These doors are mounted on a track, and when opened, the panels slide and fold simultaneously to one or both sides, creating a wide opening without taking up much space. Bi-fold doors are popular for their ability to blend indoor and outdoor spaces seamlessly, making them a favorite choice for alfresco areas in luxury homes.

Build-in details



Features



DURABLE POWDERCOAT SUPPLIED BY DULUX AUSTRALIA
Available in black, pearl white, monument and anodic grey.



DOUBLE GLAZING AS STANDARD
Improved thermal insulation efficiency with argon gas filled.



PREMIUM LOCKABLE HARDWARE
Long lasting hardware with different finishes.



HEAVY DUTY STAINLESS STEEL ROLLER AND HINGE SETS
With exceptional corrosion resistance and minimal maintenance of materials.



COMPLIANCE WITH AUSTRALIAN STANDARDS
Tested and engineered to comply with AS2047, AS1288 and AS4667.



EXTENSIVE WARRANTY TO ENSURE DURABILITY
10 years for non-moving parts, 3 years for moving parts, 1 year for glass.



Hardware

